

Tropical Trainwreck

Sample ID: 1902CSALA1146.4071
Strain: Tropical Trainwreck
Matrix: Concentrates & Extracts
Type: Other
Sample Size: 12 units; Batch: 690 units

Produced: 02/18/2019
Collected: 02/21/2019
Received: 02/21/2019
Completed: 02/22/2019
Batch#: 021919TT

Distributor
Cypress Manufacturing Co
Lic. # A11-18-0000287-TEMP
1353 Dayton St, Unit B
Salinas, CA 93901

Producer
Infusion Factory LLC
Lic. # CDPH-T00000393
6955 Luther Drive Sacramento, CA 95823



Summary

Pass

70.93% Total Cannabinoids	Pass Pesticides	Pass Residual Solvents
Pass Microbials	Pass Mycotoxins	Pass Heavy Metals

Cannabinoids

Complete

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Mass	Mass
	%	%	%	mg/g
THCa	0.00002	0.0001	ND	ND
Δ9-THC	0.00004	0.0001	66.12	661.23
Δ8-THC	0.00004	0.0001	ND	ND
THCV	0.00004	0.0001	0.57	5.74
CBDa	0.00002	0.0001	ND	ND
CBD	0.00004	0.0001	0.65	6.48
CBDV	0.00001	0.0001	ND	ND
CBN	0.00002	0.0001	1.40	13.97
CBGa	0.00002	0.0001	ND	ND
CBG	0.00004	0.0001	2.18	21.83
CBC	0.00001	0.0001	ND	ND
Total			70.93	709.25

66.12%
Total THC

0.65%
Total CBD

Terpenes

Complete

Testing method: HSGCMS-SOP 201

Analyte	LOD	LOQ	Mass	Mass
	%	%	%	mg/g
Terpinolene	0.00016	0.0013	1.58	15.82
δ-Limonene	0.00016	0.0013	0.70	6.98
β-Caryophyllene	0.00017	0.0013	0.66	6.64
β-Myrcene	0.00012	0.0013	0.52	5.20
β-Pinene	0.00034	0.0013	0.42	4.23
Caryophyllene Oxide	0.00017	0.0013	0.27	2.70
α-Pinene	0.00015	0.0013	0.23	2.28
Linalool	0.00015	0.0013	0.17	1.73
δ-3-Carene	0.00040	0.0013	0.15	1.49
α-Humulene	0.00057	0.0013	0.09	0.92
Isopulegol	0.00011	0.0013	0.08	0.81
α-Terpinene	0.00012	0.0013	0.07	0.74
γ-Terpinene	0.00012	0.0013	0.07	0.66
α-Bisabolol	0.00015	0.0013	0.06	0.62
p-Cymene	0.00010	0.0013	0.06	0.58
Geraniol	0.00013	0.0013	0.06	0.57
Camphene	0.00072	0.0013	0.05	0.52
Eucalyptol	0.00017	0.0013	0.02	0.16
cis-Nerolidol	0.00009	0.0013	ND	ND
Guaiol	0.00018	0.0013	ND	ND
Ocimene	0.00013	0.0013	ND	ND
trans-Nerolidol	0.00058	0.0013	ND	ND
Total			5.27	52.65

Date Tested: 02/22/2019

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NR = Not Reported; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample;

NT Moisture SOP-103	NT Water Activity SOP-102	Pass Foreign Matter SOP-001
----------------------------------	--	--



ISO / IEC 17025:2017 ACCREDITED LABORATORY
Accreditation No. 73653

M. Speakman
Mallory Speakman
Laboratory Director - LA
02/22/2019

A. Engen
Anya Engen
Quality Manager
02/22/2019



Tropical Trainwreck

Sample ID: 1902CSALA1146.4071
 Strain: Tropical Trainwreck
 Matrix: Concentrates & Extracts
 Type: Other
 Sample Size: 12 units; Batch: 690 units

Produced: 02/18/2019
 Collected: 02/21/2019
 Received: 02/21/2019
 Completed: 02/22/2019
 Batch#: 021919TT

Distributor
Cypress Manufacturing Co
 Lic. # A11-18-0000287-TEMP
 1353 Dayton St, Unit B
 Salinas, CA 93901

Producer
Infusion Factory LLC
 Lic. # CDPH-T00000393
 6955 Luther Drive Sacramento, CA 95823

Pesticides

Test Method: LCMS & GCMS-SOP 301

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0180	0.0590	0.1000	ND	Pass	Fludioxonil	0.0070	0.0240	0.1000	ND	Pass
Acephate	0.0090	0.0290	0.1000	ND	Pass	Hexythiazox	0.0070	0.0240	0.1000	ND	Pass
Acequinocyl	0.0050	0.0180	0.1000	ND	Pass	Imazalil	0.0040	0.0120	0.1000	ND	Pass
Acetamiprid	0.0040	0.0130	0.1000	ND	Pass	Imidacloprid	0.0390	0.1290	5.0000	ND	Pass
Aldicarb	0.0040	0.0130	0.1000	ND	Pass	Kresoxim Methyl	0.0050	0.0170	0.1000	ND	Pass
Azoxystrobin	0.0060	0.0190	0.1000	ND	Pass	Malathion	0.0100	0.0320	0.5000	ND	Pass
Bifenazate	0.0040	0.0140	0.1000	ND	Pass	Metalaxyl	0.0030	0.0100	2.0000	ND	Pass
Bifenthrin	0.0080	0.0270	3.0000	ND	Pass	Methiocarb	0.0060	0.0200	0.1000	ND	Pass
Boscalid	0.0060	0.0190	0.1000	ND	Pass	Methomyl	0.0090	0.0300	1.0000	ND	Pass
Captan	0.0789	0.2631	0.7000	ND	Pass	Methyl Parathion	0.0070	0.0233	0.1000	ND	Pass
Carbaryl	0.0050	0.0150	0.5000	ND	Pass	Mevinphos	0.0030	0.0110	0.0030	ND	Pass
Carbofuran	0.0050	0.0180	0.1000	ND	Pass	Myclobutanil	0.0170	0.0580	0.1000	ND	Pass
Chlorantraniliprole	0.0070	0.0240	10.0000	ND	Pass	Naled	0.0070	0.0240	0.1000	ND	Pass
Chlordane	0.0319	0.1062	0.1000	ND	Pass	Oxamyl	0.0030	0.0090	0.5000	ND	Pass
Chlorfenapyr	0.0100	0.0330	0.0100	ND	Pass	Paclbutrazol	0.0130	0.0440	0.1000	ND	Pass
Chlorpyrifos	0.0050	0.0170	0.1000	ND	Pass	Pentachloronitrobenzene	0.0046	0.0152	0.1000	ND	Pass
Clofentezine	0.0060	0.0190	0.1000	ND	Pass	Permethrin	0.0110	0.0360	0.5000	ND	Pass
Coumaphos	0.0090	0.0280	0.1000	ND	Pass	Phosmet	0.0070	0.0250	0.1000	ND	Pass
Cyfluthrin	0.0080	0.0260	2.0000	ND	Pass	Piperonyl Butoxide	0.0050	0.0180	3.0000	ND	Pass
Cypermethrin	0.0130	0.0440	1.0000	ND	Pass	Prallethrin	0.0070	0.0240	0.1000	ND	Pass
Daminozide	0.0210	0.0700	0.1000	ND	Pass	Propiconazole	0.0080	0.0260	0.1000	ND	Pass
DDVP	0.0040	0.0120	0.1000	ND	Pass	Propoxur	0.0040	0.0130	0.1000	ND	Pass
Diazinon	0.0050	0.0170	0.1000	ND	Pass	Pyrethrins	0.0030	0.0100	0.5000	ND	Pass
Dimethoate	0.0030	0.0110	0.1000	ND	Pass	Pyridaben	0.0080	0.0270	0.1000	ND	Pass
Dimethomorph	0.0070	0.0230	2.0000	ND	Pass	Spinetoram	0.0070	0.0220	0.1000	ND	Pass
Ethoprophos	0.0040	0.0130	0.1000	ND	Pass	Spinosad	0.0050	0.0160	0.1000	ND	Pass
Etofenprox	0.0050	0.0170	0.1000	ND	Pass	Spiromesifen	0.0070	0.0230	0.1000	ND	Pass
Etoazole	0.0060	0.0180	0.1000	ND	Pass	Spirotetramat	0.0090	0.0300	0.1000	ND	Pass
Fenhexamid	0.0090	0.0300	0.1000	ND	Pass	Spiroxamine	0.0060	0.0190	0.1000	ND	Pass
Fenoxycarb	0.0070	0.0220	0.1000	ND	Pass	Tebuconazole	0.0130	0.0420	0.1000	ND	Pass
Fenpyroximate	0.0090	0.0300	0.1000	ND	Pass	Thiacloprid	0.0070	0.0230	0.1000	ND	Pass
Fipronil	0.0170	0.0560	0.1000	ND	Pass	Thiamethoxam	0.0040	0.0130	5.0000	ND	Pass
Fonicamid	0.0890	0.2970	0.1000	ND	Pass	Trifloxystrobin	0.0040	0.0140	0.1000	ND	Pass

Date Tested: 02/22/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 02/22/2019

 Anya Engen
 Quality Manager
 02/22/2019




Tropical Trainwreck

Sample ID: 1902CSALA1146.4071
Strain: Tropical Trainwreck
Matrix: Concentrates & Extracts
Type: Other
Sample Size: 12 units; Batch: 690 units

Produced: 02/18/2019
Collected: 02/21/2019
Received: 02/21/2019
Completed: 02/22/2019
Batch#: 021919TT

Distributor
Cypress Manufacturing Co
Lic. # A11-18-0000287-TEMP
1353 Dayton St, Unit B
Salinas, CA 93901

Producer
Infusion Factory LLC
Lic. # CDPH-T00000393
6955 Luther Drive Sacramento, CA 95823

Residual Solvents

Testing method: HSGCMS-SOP 202

Analyte	LOD µg/g	LOQ µg/g	Limit µg/g	Mass µg/g	Status
1,2-Dichloro-Ethane	0.3	3	1	ND	Pass
Acetone	1.4	14	5000	ND	Pass
Acetonitrile	0.3	2	410	ND	Pass
Benzene	0.1	1	1	ND	Pass
Butane	2.5	25	5000	ND	Pass
Chloroform	0.4	4	1	ND	Pass
Ethanol	1.4	14	5000	ND	Pass
Ethyl-Acetate	1.4	14	5000	ND	Pass
Ethyl-Ether	1.4	14	5000	ND	Pass
Ethylene Oxide	0.3	3	1	ND	Pass
Heptane	1.4	14	5000	ND	Pass
Isopropanol	1.4	14	5000	ND	Pass
Methanol	1.8	18	3000	ND	Pass
Methylene-Chloride	0.4	4	1	ND	Pass
n-Hexane	1.7	17	290	ND	Pass
Pentane	1.4	14	5000	ND	Pass
Propane	1.0	10	5000	ND	Pass
Toluene	5.3	53	890	ND	Pass
Trichloroethene	0.5	5	1	ND	Pass
Xylenes	13.0	130	2170	ND	Pass

Date Tested: 02/22/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY
Accreditation No. 73653

Mallory Speakman
Laboratory Director - LA
02/22/2019

Anya Engen
Quality Manager
02/22/2019



Tropical Trainwreck

Sample ID: 1902CSALA1146.4071
Strain: Tropical Trainwreck
Matrix: Concentrates & Extracts
Type: Other
Sample Size: 12 units; Batch: 690 units

Produced: 02/18/2019
Collected: 02/21/2019
Received: 02/21/2019
Completed: 02/22/2019
Batch#: 021919TT

Distributor
Cypress Manufacturing Co
Lic. # A11-18-0000287-TEMP
 1353 Dayton St, Unit B
 Salinas, CA 93901

Producer
Infusion Factory LLC
Lic. # CDPH-T00000393
 6955 Luther Drive Sacramento, CA 95823

Microbials

Test method: PCR-SOP 401

Analyte

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass
Salmonella	Not Detected	Pass

Date Tested: 02/22/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Mycotoxins

Test method: LCMS-SOP 301

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.001	0.005		ND	Tested
B2	0.007	0.022		ND	Tested
G1	0.007	0.022		ND	Tested
G2	0.006	0.021		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.013	0.045	20	ND	Pass

Date Tested: 02/22/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected;

Heavy Metals

Testing method: ICPMS-SOP 501

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.001	0.01	0.2	ND	Pass
Cadmium	0.001	0.01	0.2	ND	Pass
Lead	0.001	0.01	0.5	0.185	Pass
Mercury	0.001	0.01	0.1	<LOQ	Pass

Date Tested: 02/22/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

Mallery Speakman
 Laboratory Director - LA
 02/22/2019

Anya Engen
 Quality Manager
 02/22/2019

